

# "On the Chopping Block"

The Impacts of Global Warming and Climate Change on the Mid-Atlantic Allegheny Highlands

> A Report from Friends of Blackwater's Allegheny Highlands Climate Change Impacts Initiative

Updated with a new scientific bibliography -- August 2016

Friends of Blackwater, 501 Elizabeth Street, Charleston, WV 25311 www.saveblackwater.org 304-345-7663 <u>info@saveblackwater.org</u>

www.alleghenyclimate.org

https://www.facebook.com/alleghenyhighlandsclimatechangeimpactsinitiative/

## **A. Introduction**

The distinctive climate of the Mid-Atlantic Allegheny Highlands region, which runs along the highest ridges of the Appalachian mountain chain – and the regional ecology and economy that depend on that climate -- are "On the Chopping Block" from the impacts of global warming and climate change.

In West Virginia, the Highlands are home to the Monongahela National Forest, Canaan Valley, and the Blackwater Canyon. In Pennsylvania, the scenic Highlands region includes Mount Davis, the state's highest peak; in Maryland, the ski resorts at Deep Creek Lake are an important regional economic engine. And in Virginia, Shenandoah National Park and George Washington National Forest are among the finest public lands in the East.



In these rugged peaks, deep hollows, and sweeping valleys, filled with rushing streams and rivers, the year begins with deep, snow-clad winter -- followed by green, life-filled spring. Then come the long, warm days and cool, wind-blown nights of summer. To end the ancient seasonal cycle, autumn's bracing frosts and brilliant colors adorn the hills, preparing the Highlands for another wintry blanket.

For generations, an intricate web of life based on the Highlands' distinctive climate has supported a strong and sustainable regional forestry, agricultural, tourism, and outdoor recreational economy. But today, the scientific evidence is clear that the impacts of climate change and global warming – rising temperatures and heat waves; more intense precipitation, flooding and severe weather; changes to historic growing seasons; degraded streams and rivers; altered forests; and plant and animal extinction -- threaten the Highlands.

In June 2014 and October 2015, the West Virginia-based conservation group Friends of Blackwater hosted two public conferences at Blackwater Falls State Park in Davis, West Virginia, where a wide range of scientific experts discussed the impacts of global warming and climate change on the Highlands. More than three hundred people attended. This report, first published in 2015, summarizes the information presented at these conferences. A new scientific bibliography, containing links to a wide range of on-line sources, has been added. A list of the conference presenters is in the "Acknowledgments" section. We hope you find this report useful; your comments and suggestions are welcome.

-- Tom Rodd, Project Director, Allegheny Highlands Climate Change Impacts Initiative

## **B.** Impacts on Temperature and Precipitation

The National Climate Assessment (Melillo et al. 2014) reports that temperatures in the region of the United States that includes most of the Allegheny Highlands have risen by about two degrees Fahrenheit over the past one hundred years. The average period of frost-free temperatures has moved about ten days forward in the spring and ten days backward in the fall. This frost-free period is projected to continue to expand by a month or more.

Under "business-as-usual" high-greenhouse-gas-emission scenarios, the number of days when temperatures in the Highlands fall below 10 degrees will continue to decline by 50 percent or more and cold periods that have historically lasted for a week or more will more likely last only a day or two. The number of "heat-wave" days where the temperature exceeds 95 degrees is expected to triple.

Warming temperatures intensify the water cycle. Between 1895 and 2011 average annual precipitation in the Northeast region has increased by approximately five inches or more than 10%. This figure is projected to increase by 40% by 2100 under highemission scenarios. Climate change is also increasing the frequency and severity of very heavy precipitation events (defined as the heaviest 1% of all daily events) in the region. The Assessment reports that between 1958 and 2010 the Northeast Region experienced a greater increase in extreme precipitation than any other region in the U.S.; more than a 70% increase. This trend will increase as climate change impacts grow.



Warmer temperatures also cause the air to expand and increase rates of evaporation and evapotranspiration, leading to soils drying faster, especially in spring and summer. This increases stress on moisture-sensitive Highlands' ecosystems like peat bogs and aquatic habitats.

#### C. Impacts on Forests

The Highlands ecosystem is characterized by forest scientists as the Appalachian Hemlock Northern Hardwood Forest, and is classified as "highly vulnerable" to climate change. A major driver of the vulnerability of the Highlands forest ecosystem to climate change is decreasing precipitation in summer and fall, and increasing temperatures and reduced soil moisture. The dominant species of this region – American Beech, Eastern Hemlock, Sugar Maple, Tulip tree, Black Cherry, White Ash, Yellow Birch, and Red Spruce – are projected to decline substantially as a result of changes in the atmosphere that are already in place. Under highgreenhouse-gas emissions scenarios, suitable habitat for important tree species like the sugar maple and red spruce disappears. To replace these species, heat-tolerant trees like the



Sugar maples in the Highlands decline dramatically with continued warming.

loblolly pine, now abundant in States like Georgia, are expected to become prominent in the Highlands.

The Pennsylvania Climate Assessment, prepared by experts at Penn State University in 2009 and updated in 2013 and 2015 (Ross et al. and Shortle et al. 2009, 2013, 2015), projects that forest product manufacturers and consumers may benefit from lower costs as more dying trees are harvested due to a changing climate, but forest landowners will likely be losers. The study says that the future outlook for one forest product, maple syrup, "looks bleak." Additionally, with invasive species like the hemlock wooly adelgid already a major problem, climate-related threats to forest health in the Highlands from pests and disease are growing.

#### **D.** Impacts on Aquatic Life

Stream temperatures in the Allegheny Highlands have steadily increased over the past forty years as a result of global warming. These rising temperatures pose a severe threat to stream ecology and biodiversity.

For example, an upper stream temperature range of 68-77 degrees Fahrenheit is a critical zone for the Eastern Brook Trout, or "Brookie," which is the state fish of Pennsylvania, Virginia, and West Virginia. Summer stream temperatures in the Highlands are increasingly in that zone of caution. A summer heat wave may increase water temperature over 74°F for a week or more. While such a temperature spike might have a small impact on a stream's annual average water temperature, it can cause the local extirpation of species that are impaired by waters warmer than 70°F.



Today, Eastern Brook Trout are gone from a third of their former homes in Appalachia's cold-water streams. The Virginia Climate Modeling and Species Vulnerability Assessment

(Kane et al. 2013) projects that under high-emission greenhouse gas scenarios, suitable habitat for brook trout will disappear from the Highlands in this century.

# E. Impacts on Wildlife

In 2011 the West Virginia Division of Natural Resources ("DNR") assessed 185 wildlife species for their vulnerability to the impacts of climate change (Byers 2011). The DNR classified 8 amphibian species, 4 bird species, 11 fish species, 6 mammal species, 2 reptile species, 18 mollusk or shellfish species, 12 crayfish species, 20 insect species, and 21 plant species as "extremely vulnerable" to "moderately vulnerable" to the impacts of climate change.

One species classified by the DNR as highly vulnerable is the West Virginia Northern Flying Squirrel, or "Ginny," as she is called by people who are working to protect her. There are less than 1,000 of "Ginny's" species in the entire world, all in just seven counties in the Allegheny Highlands.

Today, one of Ginny's prime habitat locations is the Blackwater Canyon, which Friends of Blackwater works to protect. But preserving the Blackwater Canyon will not save "Ginny" from extinction, unless we rein in the global warming that is destroying her habitat.

## F. Impacts on the Outdoor Recreation and Hospitality Industry

Climate change impacts like increasing temperatures and heat waves, more intense precipitation and flooding, periodic drought, rain replacing snow, the loss of historic forests and changing

weather patterns, extirpation of high-value sporting species like the brook trout – these impacts threaten the Highlands's distinctive outdoor recreation and hospitality industry.

The Pennsylvania Climate Assessment forecasts that ski season length in the Highlands region under a high-emissions greenhouse gas scenario would decrease by as much as 50 percent. The study says that it "is questionable whether [ski] resorts would be economically viable with such short seasons." This conclusion about the future of a signature regional economic engine is troubling.



## G. Choices

What can we do to best protect the Highlands from the impacts of climate change? What climate-smart choices can we make?



One smart choice is to learn and talk about what climate change is and what it means – so that we better understand what's at stake and what's at risk. Another smart choice is to plan and prepare for the impacts of climate change that we cannot avoid. Just as communities in Virginia and New Jersey are building seawalls and infrastructure to reduce the harm of sea-level rise, people who care for the Allegheny Highlands can increase their preparedness and their resilience to climate change impacts.

Planners and builders can strengthen bridges, roads, and buildings in the Highlands to reduce harm from flooding and severe weather. Landowners and managers can build wildlife corridors and preserve critical landscapes to help endangered species find refuge from rising temperatures. Scientists can devise remedies to hold back climate-related diseases and pests.

Another smart choice is to support local, national, and global policies that will reduce global greenhouse gas emissions, to prevent the most dangerous impacts of global warming and climate change. It will take the efforts of scientists, businesses, people and governments all around the world to address the problem of climate change.

"Ginny," the West Virginia Northern Flying Squirrel, and all her Highlands friends, are counting on us!



#### H. Bibliography

The entries in this bibliography contain a wide range of scientific information about the impacts of global warming and climate change on the Mid-Atlantic Allegheny Highlands region. Here are some examples:

A West Virginia Division of Natural Resources study (Byers et al. 2011) discusses climate change vulnerability for dozens of animals and plants in the Highlands. In a state that takes pride in being "Wild and Wonderful," this paper is a wake-up call for conservation lovers! Another excellent resource is an interactive website operated by the U.S. Forest Service (Landscape Change Research Group 2014), where the user can select particular tree or bird species and see how their range and survival are affected by climate change.

To look at the bigger picture, the National Climate Assessment (Melillo et al. 2014) discusses how the United States and its regions, including the Allegheny Highlands, are being affected by climate change. The user can explore topics such as insect infestations; extinction for vulnerable animals; increased stream temperatures; intense weather events; and changes in winter weather. Another source, the US National Phenology Network (USPN 2011), contains information on how climate change is affecting when trees bloom and when birds migrate. Finally, Penn State scientists have completed several comprehensive studies (Ross et al. and Shortle et al. 2009, 2013, 2015) that describe the present and future impacts of climate change on the region.

Thanks to the dedicated scientists who discovered, compiled, and published this important information. And thanks to the reader for your interest!

-- Lauren Payne, B.S., Environmental Economics, West Virginia University, AmeriCorps VISTA Volunteer

#### **Regional Climate Change Impacts Generally**

- Butler, P. 2012. Central Appalachians Forest Ecosystem Vulnerability Assessment, PowerPoint presentation, USDA Forest Service. <u>http://forestadaptation.org/node/214</u>
- Byers, E. and S. Norris. 2011. Climate change vulnerability assessment of species of concern in West Virginia. West Virginia Division of Natural Resources, Elkins, West Virginia. http://wvdnr.gov/publications/PDFFiles/ClimateChangeVulnerability.pdf
- Kane, A., T.C. Burkett, S. Klopfer, and J. Sewall. 2013. Virginia's Climate Modeling and Species Vulnerability Assessment: How Climate Data Can Inform Management and Conservation. National Wildlife Federation, Reston, Virginia. <u>http://www.bewildvirginia.org/climate-change/virginias-climate-vulnerabilityassessment.pdf</u>

- Landscape Change Research Group. 2014. Climate change atlas. Northern Research Station, U.S. Forest Service, Delaware, OH. The US Forest Service Online Climate Change Bird and Tree Atlas can be used to examine the current distribution of tree and bird habitats in the eastern United States, and how these habitat distributions might change in response to different climate scenarios. Model inputs, assumptions and results are all available via the online interface. <u>http://www.nrs.fs.fed.us/atlas/</u>.
- Melillo, J.M., T.C. Richmond, G.W. Yohe. (2014). Climate Change Impacts in the United States: The Third National Climate Assessment: U.S. Global Change Research Program. <u>http://s3.amazonaws.com/nca2014/low/NCA3\_Climate\_Change\_Impacts\_in\_the\_United</u> %20States\_LowRes.pdf?download=1
- Ross, A., C. Benson, D. Abler, D. Wardrop, J. Shortle, M. McDill, M. Rydzik, R. Najjar, R. Ready, S. Blumsack, T. Wagener. (2013) *Pennsylvania Climate Impacts Assessment Update*. The Pennsylvania State University. University Park, Pennsylvania. <u>http://www.elibrary.dep.state.pa.us/dsweb/Get/Document-</u> <u>97037/PA%20DEP%20Climate%20Impact%20Assessment%20Update.pdf</u>
- Shortle, J., D. Abler, S. Blumsack, R. Crane, Z. Kaufman, M. McDill, R. Najjar, R. Ready, T. Wagener, and D. Wardrop. 2009. Pennsylvania Climate Impacts Assessment. The Pennsylvania State University, University Park, Pennsylvania. http://www.elibrary.dep.state.pa.us/dsweb/Get/Document-75375/7000-BK-DEP4252.pdf
- Shortle, J., D. Abler, S. Blumsack, A. Britson, K. Fang, A. Kemanian, P. Knight, M. McDill, R. Najjar, M. Nassry, R. Ready, A. Ross, M. Rydzik, C. Shen, S. Wang, D. Wardrop, S. Yetter. (2015) *Pennsylvania Climate Impacts Assessment Update*. The Pennslyvania State University, University Park, Pennsylvania. <u>http://www.elibrary.dep.state.pa.us/dsweb/Get/Document-108470/2700-BK-DEP4494.pdf</u>
- United States Geological Survey, Climate and Land Use Change Research and Development Program. (2015) http://www.usgs.gov/climate\_landuse/clu\_rd/

# **Impacts on Forests, Trees, and Plants**

Beane, N. R. 2010. Using Environmental and Site-specific Variables to Model Current and Future Distribution of Red Spruce (*Picea rubens* Sarg.) Forest Habitat in West Virginia. Dissertation, West Virginia University, Morgantown, West Virginia. <u>http://www.restoreredspruce.org/images/pdf/beane\_nathan\_dissertation.pdf</u>

- Beckage, B., B. Osborne, D.G. Gavin, C. Pucko, T. Siccama, and T. Perkins. 2008. A rapid upward shift of a forest ecotone during 40 years of warming in the Green Mountains of Vermont. Proceedings of the National Academy of Sciences of the United States of America 105: 4197-4202. <u>http://www.pnas.org/content/105/11/4197.full.pdf</u>
- Bergeron, J. C., J.R. Spence, W.J.A. Volney, J. Pinzon, & D.J. Hartley (2013). Effect of habitat type and pitfall trap installation on captures of epigaeic arthropod assemblages in the boreal forest. *The Canadian Entomologist*, 145 (05), 547-565. <u>http://journals.cambridge.org/action/displayAbstract?fromPage=online&aid=9006271&fi leId=S0008347X13000382</u>
- Butler, P.R., L.R. Iverson, F.R. Thompson III, L.A. Brandt, S.D. Handler, et. Al. (2016). Central Appalachians Forest Ecosystem Vulnerability Assessment and Synthesis: A Report from the Central Appalachians Climate Change Response Framework Project. United States Department of Agriculture. http://www.treesearch.fs.fed.us/pubs/47885
- Farnsworth, E. (2015). *State of New England's Native Plants*: New England Wild Flower Society. <u>http://www.newenglandwild.org/conserve/state-of-the-plants-brief\_rev2.pdf</u>
- Fisichelli, N. A., S. R. Abella, M. Peters and F. J. Krist Jr (2014). Climate, trees, pests, and weeds: Change, uncertainty, and biotic stressors in eastern US national park forests. Forest Ecology and Management 327: 31-39. <u>http://www.treesearch.fs.fed.us/pubs/45907</u>
- Iverson, L. R., A. M. Prasad, S. N. Matthews, and M. Peters. 2008. Estimating potential habitat for 134 eastern US tree species under six climate scenarios. Forest Ecology and Management 254:390-406. <u>http://www.treesearch.fs.fed.us/pubs/13412</u>.
- Iverson L., Prasad A.M., Matthews S. & Peters M. (2011). Lessons learned while integrating habitat, dispersal, disturbance, and life-history traits into species habitat models under climate change *Ecosystems*, 14, 1005-1020. http://www.nrs.fs.fed.us/pubs/jrnl/2011/nrs\_2011\_iverson\_001.pdf
- Iverson L.R., Thompson F.R., Matthews S., Peters M., Prasad A., Dijak W.D., Fraser J., Wang W.J., Hanberry B., He H., Janowiak M., Butler P., Brandt L. & Swanston C. (2016).
  Multi-model comparison on the effects of climate change on tree species in the eastern U.S.: results from an enhanced niche model and process-based ecosystem and landscape models. *Landscape Ecology*, 10.1007/s10980-016-0404-8, 1-20. http://link.springer.com/article/10.1007% 2Fs10980-016-0404-8
- Iverson, L.R., and A.M. Prasad. 2001. Potential Changes in Tree Species Richness and Forest Community Types following Climate Change. Ecosystems 4:186-199. <u>http://www.fs.fed.us/ne/newtown\_square/publications/other\_publishers/OCR/ne\_2001\_iv</u> <u>erson001.pdf</u>

- Iverson, L.R., M.W. Schwartz and A.M. Prasad. 2004. Potential colonization of newly available tree- species habitat under climate change: an analysis for five eastern US species. Landscape Ecology. 19:787–799. http://www.nrs.fs.fed.us/pubs/jrnl/2004/ne\_2004\_iverson002.pdf
- Iverson, L.R., A.M. Prasad and M.W. Schwartz. 2005. Predicting potential changes in suitable habitat and distribution by 2100 for tree species of the eastern United States. Journal of Agricultural Meteorology. 61:29-37.
  <u>http://www.fs.fed.us/ne/newtown\_square/publications/other\_publishers/OCR/ne\_2005\_iv erson001.pdf</u>
- Iverson. L.R. and D. McKenzie. 2013. Tree-species range shifts in a changing climate: detecting, modeling, and assisting. Landscape Ecology 28:879–889. <u>http://www.nrs.fs.fed.us/pubs/jrnl/2013/nrs\_2013\_iverson\_001.pdf</u>
- Juday, G. P., C. Alix, & T.A. Grant (2015). Spatial coherence and change of opposite white spruce temperature sensitivities on floodplains in Alaska confirms early-stage boreal biome shift. *Forest Ecology and Management*, 350, 46-61. <u>http://www.sciencedirect.com/science/article/pii/S0378112715002212</u>
- Kirschbaum M.U.F. 2000. Forest growth and species distribution in a changing climate. Tree Physiology 20:309-322. <u>http://treephys.oxfordjournals.org/content/20/5-6/309.full.pdf</u>
- Krist, F. J. J., J. R. Ellenwood, M. E. Woods, A. J. McMahan, J. P. Cowardin, et al., 2014. 2013– 2027 National Insect and Disease Forest Risk Assessment. January 2014. FHTET-14-01. USDA Forest Service Forest Health Technology Enterprise Team. 209 p <u>http://www.fs.fed.us/foresthealth/technology/nidrm.shtml</u>
- MacDicken, K. G. (2015). Global Forest Resources Assessment 2015: What, why and how? *Forest Ecology and Management*, 352, 3-8. <u>http://www.sciencedirect.com/science/article/pii/S0378112715000572</u>
- Matthews, S. N., L. R. Iverson, A. M. Prasad, M. P. Peters, and P. G. Rodewald. 2011. Modifying climate change habitat models using tree species-specific assessments of model uncertainty and life history factors. Forest Ecology and Management 262:1460-1472. <u>http://treesearch.fs.fed.us/pubs/38643</u>
- Prasad, A. M., L. R. Iverson., S. Matthews., M. Peters. 2007-ongoing. A Climate Change Atlas for 134 Forest Tree Species of the Eastern United States [database], Northern Research Station, USDA Forest Service, Delaware, Ohio. <u>http://www.nrs.fs.fed.us/atlas/tree</u>
- Prasad, A. M., J. D. Gardiner, L. R. Iverson, S. N. Matthews, and M. Peters. 2013. Exploring tree species colonization potentials using a spatially explicit simulation model: implications for four oaks under climate change. Global Change Biology 19:2196–2208. http://www.nrs.fs.fed.us/pubs/jrnl/2013/nrs\_2013\_prasad\_001.pdf

- Peters, M. P., L. R. Iverson and S. N. Matthews (2015). Long-term droughtiness and drought tolerance of eastern US forests over five decades. Forest Ecology and Management 345: 56-64. <u>http://www.nrs.fs.fed.us/pubs/47839</u>
- Richardson, L., C. Huber, Z. Zhu, L. Koontz. (2014). *Terrestrial Carbon Sequestration in National Parks: Values for the Conterminous United States*. https://www.nature.nps.gov/socialscience/docs/CarbonSequestration.pdf
- Roberts, A. M., C. Tansey, R.J. Smithers & A.B. Phillimore. (2015). Predicting a change in the order of spring phenology in temperate forests. *Global change biology*, 21 (7), 2603-2611. <u>http://onlinelibrary.wiley.com/doi/10.1111/gcb.12896/full</u>
- Sugden, A., J. Fahrenkamp-Uppenbrink, D. Malakoff, & S. Vignieri (2015). Forest health in a changing world. *Science*, 349 (6250), 800-801. <u>http://link.springer.com/article/10.1007/s00248-014-0545-8</u>
- Stanton, J.M. 2009. Modeled Red Spruce Distribution Response to Climatic Change in Monongahela National Forest. Thesis, Marshall University, Huntington, West Virginia. <u>http://www.marshall.edu/etd/masters/stanton-james-2009-ms.pdf</u>
- Woodall, C.W., C.M. Oswalt, J.A. Westfall, C.H. Perry, M.D. Nelson, and A.O. Finley. 2008. An indicator of tree migration in forests of the eastern United States. Forest Ecology and Management 257:1434-1444. <u>http://actrees.org/files/Research/nrs09\_woodall.pdf</u>
- Zhu, K., C.W. Woodall, and J.S. Clark. 2012. Failure to migrate: lack of tree range expansion in response to climate change. Global Change Biology 18:1042-1052. <u>http://coweeta.uga.edu/publications/10660.pdf</u>
- Zhu, K., C.W. Woodall, S. Ghosh, A.E. Gelfand, and J.S. Clark. 2014. Dual impacts of climate change: Forest migration and turnover through life history. Global Climate Change 20:251-264. <u>http://onlinelibrary.wiley.com/doi/10.1111/gcb.12382/pdf</u>
- Ziska, L., Knowlton, K., Rogers, C., Dalan, D., Tierney, N., Elder, M. A., et al. (2011). Recent warming by latitude associated with increased length of ragweed pollen season in central North America. *Proceedings of the National Academy of Sciences*, 108 (10), 4248-4251. <u>http://www.pnas.org/content/108/10/4248.abstract</u>

## **Impacts on Animals**

Bartomeus, I., J.S. Ascher, D. Wagner, B.N. Danforth, S. Colla, S. Kornbluth, and R. Winfree. 2011. Climate-associated phonological advances in bee pollinators and bee-pollinated plants. Proceedings of the National Academy of Sciences 108:20645-20649. http://www.pnas.org/content/early/2011/11/29/1115559108.full.pdf+html

- Bogan, Michael A. 2013. Potential effects of global change on bats, United States Geological Survey, <u>http://geochange.er.usgs.gov/sw/impacts/biology/bats/</u>
- Byers, E. and S. Norris. 2011. Climate change vulnerability assessment of species of concern in West Virginia. West Virginia Division of Natural Resources, Elkins, West Virginia. http://wvdnr.gov/publications/PDFFiles/ClimateChangeVulnerability.pdf
- Caruso, N. M., M.W. Sears., D.C. Adams, & K.R. Lips (2014). Widespread rapid reductions in body size of adult salamanders in response to climate change. *Global change biology*, 20 (6), 1751-1759. <u>http://onlinelibrary.wiley.com/doi/10.1111/gcb.12550/full</u>
- Conservation Science, National Audubon (2014). Society Audubon's Birds and Climate Change Report. <u>http://climate.audubon.org/sites/default/files/Audubon-Birds-Climate-Report-v1.2.pdf</u>
- Ellwood, E. R., R.B. Primack, & M.L. Talmadge (2010). Effects of climate change on spring arrival times of birds in Thoreau's Concord from 1851 to 2007. *The Condor*, *112* (4), 754-762. <u>http://www.aoucospubs.org/doi/abs/10.1525/cond.2010.100006</u>
- Fraser, K.C., C. Silverio, P. Kramer, N. Mickle, R. Aeppli, and B.J.M. Stutchbury. 2013. A Trans- Hemispheric Migratory Songbird Does Not Advance Spring Schedules or Increase Migration Rate in Response to Record-Setting Temperatures at Breeding Sites. PLoS ONE 8:e64587. <u>http://www.plosone.org/article/fetchObject.action?uri=info%3Adoi%2F10.1371%2Fjour</u> <u>nal.pone.0064587&representation=PDF</u>
- Gaichas, S. K., J.S. Link, & J.A. Hare (2014). A risk-based approach to evaluating northeast US fish community vulnerability to climate change. *ICES Journal of Marine Science: Journal du Conseil*, 71 (8), 2323-2342. <u>http://icesjms.oxfordjournals.org/content/71/8/2323.short</u>
- Gatewood, A. G., K.A. Liebman, G. Vourc'h, J. Bunikis, S.A. Hamer, R. Cortinas, et al. (2009). Climate and tick seasonality are predictors of Borrelia burgdorferi genotype distribution. *Applied and environmental microbiology*, 75 (8), 2476-2483. <u>http://aem.asm.org/content/75/8/2476.short</u>
- Hassett, M., R. Cole, S. McDonnell. (2015). New York State Southern Pine Beetle Response: 2014-2015 Annual Report: New York Department of Environmental Conservation. http://www.dec.ny.gov/docs/lands\_forests\_pdf/spbreport.pdf
- Kanno, Y., K.C. Pregler, N.P. Hitt, B.H. Letcher, D.J. Hocking, J.E.B. Wofford. (2016). Seasonal temperature and precipitation regulate brook trout young-of-the-year abundance and population dynamics. *Freshwater Biology* 61, 88-99 <u>https://pubs.er.usgs.gov/publication/70159461</u>

- Langham, G. M., J.G. Schuetz, T. Distler, C.U. Soykan, & C. Wilsey (2015). Conservation status of North American birds in the face of future climate change. *PloS one*, *10* (9). http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0135350
- Levi, T., F. Keesing, K. Oggenfuss, & R.S. Ostfeld (2015). Accelerated phenology of blacklegged ticks under climate warming. *Philosophical Transactions of the Royal Society of London B: Biological Sciences*, 370 (1665), 20130556. <u>http://rstb.royalsocietypublishing.org/content/370/1665/20130556?utm\_source=tech.maz</u> <u>avr.tk&utm\_medium=link&utm\_compaign=article</u>
- Matthews, S.N., L. R. Iverson, A.M. Prasad, A. M., and M.P. Peters. 2007-ongoing. A Climate Change Atlas for 147 Bird Species of the Eastern United States [database]. Northern Research Station, USDA Forest Service, Delaware, Ohio. <u>http://www.nrs.fs.fed.us/atlas/bird</u>
- Milanovich, J.R., W.E. Peterman, N.P. Nibbelink, and J.C. Maerz. 2010. Projected Loss of a Salamander Diversity Hotspot as a Consequence of Projected Global Climate Change. PLoS ONE 5:e12189. http://www.plosone.org/article/fetchObject.action?uri=info%3Adoi%2F10.1371%2Fjour nal.pone.0012189&representation=PDF
- Mitro M., J. L., S. Sharma. (2011). Coldwater Fish and Fisheries Working Group Report: Wisconsin Initiative on Climate Change Impacts. <u>http://www.wicci.wisc.edu/report/coldwater-fish-and-fisheries.pdf</u>
- Mitro, M. (2014). A Proximate Cause of Brook Trout Loss Due to Climate Change: Biotic Interactions with Gill Lice and Brown Trout. Paper presented at the 144th Annual Meeting of the American Fisheries Society. <u>https://afs.confex.com/afs/2014/webprogram/Paper16501.html</u>
- Nebel, S., A. Mills, J.D. McCracken, and P.D. Taylor. 2010. Declines of Aerial Insectivores in North America Follow a Geographic Gradient. Avian Conservation and Ecology 5, 1. <u>http://www.ace-eco.org/vol5/iss2/art1/</u>
- North American Bird Conservation Initiative, & Committee, U. S. (2014). The State of the Birds 2014 Report. US Department of Interior, Washington, DC. http://www.stateofthebirds.org/2014/2014%20SotB\_FINAL\_low-res.pdf
- Sauer, J.R., J.E. Hines, J.E. Fallon, K.L Pardieck, D.J. Ziolkowski (2014). North American Breeding Bird Survey Results and Analysis 1966-2013. Laurel, MD: USGS Patuxent Wildlife Research Center. <u>http://www.mbr-pwrc.usgs.gov/bbs/bbs.html</u>
- Snyder, C.D., N.P. Hitt, J.A. Young. (2015) Accounting for groudwater in stream fish thermal habitat responses to climate change. *Ecological Applications*, 25 (5), 1397-1419. <u>http://onlinelibrary.wiley.com/doi/10.1890/14-1354.1/full</u>

- Staudt A., D. Inkley, A. Rubinstein, E. Walton, J. Williams. *Swimming Upstream: Freshwater Fish in a Warming World:* National Wildlife Federation. <u>https://www.nwf.org/pdf/Reports/NWF-Swimming%20Upstream-082813-B.pdf</u>
- Urban, M. C. (2015). Accelerating extinction risk from climate change. *Science*, *348* (6234), 571-573. <u>http://science.sciencemag.org/content/348/6234/571</u>
- Zimova, M., L.S. Mills, & J.J. Nowak (2016). High fitness costs of climate change-induced camouflage mismatch. *Ecology Letters*. <u>http://onlinelibrary.wiley.com/doi/10.1111/ele.12568/full</u>

## Impacts on Rivers, Streams, and Wetlands

- Arismendi, I., M. Safeeq, J.B. Dunham, & S.L. Johnson (2014). Can air temperature be used to project influences of climate change on stream temperature? *Environmental Research Letters*, 9 (8), 084015. <u>http://iopscience.iop.org/article/10.1088/1748-</u> <u>9326/9/8/084015/meta</u>
- Byers, E., Vanderhorst, J., and Streets, B. 2009. High elevation wetlands of the Allegheny Mountains of West Virginia, West Virginia Natural Heritage Program, West Virginia Division of Natural Resources. http://www.wydnr.gov/publications/PDFFiles/High%20Allegheny%20Wetlands-web.pdf
- Caldwell, P. V., C.F. Miniat, K.J. Elliott, W.T. Swank, S.T. Brantley, & S.H. Laseter (2016). Declining water yield from forested mountain watersheds in response to climate change and forest mesophication. *Global change biology*. http://onlinelibrary.wiley.com/doi/10.1111/gcb.13309/full
- Pitchford, J. L., C. Wu, L. S. Lin, J. T. Petty, R. Thomas, W. E. Veselka IV, D. Welsch, N. Zegre, and J. T. Anderson. 2012. Climate Change Effects on Hydrology and Ecology of Wetlands in the Mid- Atlantic Highlands. Wetlands 32:21-33. http://link.springer.com/article/10.1007%2Fs13157-011-0259-3
- Yavitt, J.B., R.K. Wieder, and G.E. Lang. 1993. CO2 and CH4 dynamics of a *Sphagnum*dominated peatland in West Virginia. Global Biogeochemical Cycles 7:259-274. <u>http://onlinelibrary.wiley.com/doi/10.1029/93GB00270/abstract</u>

#### **Impacts on Weather**

- Donat, M. G., A.L. Lowry, L.V. Alexander, P.A. OGorman, & N. Maher. (2016). More extreme precipitation in the world's dry and wet regions. *Nature Climate Change*, 6 (5), 508-513. http://www.nature.com/nclimate/journal/v6/n5/abs/nclimate2941.html#supplementa
- Fischer, E. M., & R. Knutti. (2015). Anthropogenic contribution to global occurrence of heavyprecipitation and high-temperature extremes. *Nature Climate Change*, 5 (6), 560-564. http://www.nature.com/nclimate/journal/v5/n6/abs/nclimate2617.html
- Gao, Y., J.S. Fu, J.B. Drake, Y. Liu, and J-F Lamarque. 2012. Projected changes of extreme weather events in the eastern United States based on a high resolution climate modeling system. Environmental Research Letters 7:044025. <u>http://iopscience.iop.org/1748-9326/7/4/044025/pdf/1748-9326\_7\_4\_044025.pdf</u>
- Greene, C.H., J.A. Francis, and B.C. Monger. 2013. Superstorm Sandy: A series of unfortunate events? Oceanography 26:8-9. <u>http://tos.org/oceanography/assets/docs/26-1\_greene.pdf</u>
- Law, K. 2013. History and forecast of climate change, PowerPoint presentation at STaR Symposium, Marshall University. <u>http://www.wvresearch.org/star-symposium-2013</u>
- Liu, J., J.A. Curry, H. Wang, M. Song, and R.M. Horton. 2012. Impact of declining Artic sea ice on winter snowfall. Proceedings of the National Academy of Sciences of the United States of America 109:4074-4079. http://www.pnas.org/content/early/2012/02/17/1114910109.full.pdf
- Madsen, T., N. Wilcox (2012). *When It Rains, It Pours*: Environment America Research and Policy Center. <u>http://www.environmentamerica.org/sites/environment/files/reports/When%20It%20Rain</u> <u>s%2C%20It%20Pours%20vUS.pdf</u>
- Mountain Research Initiative EDW Working Group. (2015). Elevation-dependent warming in mountain regions of the world. *Nature Climate Change*, 5 (5), 424-430. <u>http://www.nature.com/nclimate/journal/v5/n5/full/nclimate2563.html</u>
- National Oceanic and Atmospheric Administration. *1981-2010 U.S. Climate Normals*. <u>http://www.ncdc.noaa.gov/data-access/land-based-station-data/land-based-datasets/climate-normals/1981-2010-normals-data</u> (This document states that the climate normals moved from 1971-2000 as standard, to 1981-2010 as standard due to climate changes.)
- National Oceanic and Atmospheric Administration. (2014). *Global Summary Information-December 2014*. <u>http://www.ncdc.noaa.gov/sotc/summary-info/global/201412</u> (This document states that 2014 was the hottest year on record in the United States.)

U.S. Global Change Research Program. (2014). *Observed Change in Very Heavy Precipitation*. <u>http://data.globalchange.gov/assets/22/e0/0d1e4f65b72d6fb59d3c24e53071/CS\_Extreme\_Heavy\_precipitation\_v9.png</u>

# **Other Useful Sources**

- Burakowski, E. (2012). *Climate Impacts on the Winter Tourism Economy in the United States*: Protect Our Winters. <u>http://protectourwinters.org/climate\_report/report.pdf</u>
- Center for Climate and Energy Solutions (2011). *Climate Change 101: Science and Impacts*. http://www.c2es.org/docUploads/climate101-science.pdf
- Childress, A., E. Gordon, T. Jedd, R. Klein, J. Lukas, R. McKeown. (2015). *Colorado Climate Change Study*: University of Colorado Boulder and Colorado State University. <u>http://wwa.colorado.edu/climate/co2015vulnerability/co\_vulnerability\_report\_2015\_final</u>.<u>pdf</u>
- Crimmins A., J. Balbus, J.L. Gable, C.B. Beard, J.E. Bell, D. Dogen, R.J. Eisen, N. Fann, M.D. Hawkins, S.C. Herring, L. Jantarasami, D.M. Mills, S. Saha, M.C. Sarofim, J. Trtanj, L. Ziska. (2016). *The Impacts of Climate Change on Human Health in the United States: A Scientific Assessment*. Washington, D.C.: U.S. Global Change Research Program. https://health2016.globalchange.gov/
- Environmental Protection Agency. *Causes of Climate Change*. <u>https://www3.epa.gov/climatechange/science/causes.html</u>
- Field, C.B., V.R. Barros, D.J. Dokken, K.J. Mach, M.D. Mastrandrea. (2014). *Impacts, Adaptation, and Vulnerability* (No. 5). Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press. <u>http://www.ipcc.ch/pdf/assessment-</u> <u>report/ar5/wg2/WGIIAR5-PartA\_FINAL.pdf</u>
- Gordon, K., M. Lewis, Jamesine Rogers, Fiona Kinniburgh. (2015). *Heat in the Heartland: Climate Change and Economic Risk in the Midwest*: Risky Business. <u>http://riskybusiness.org/site/assets/uploads/2015/09/RBP-Midwest-Report-WEB-1-26-15.pdf</u>
- Hicke, J. A., J. T. Abatzoglou, S. Daley-Laursen, J. Esler, & L. Parker. (2016). Using Scientific Conferences to Engage the Public on Climate Change. *Bulletin of the American Meteorological Society* (2016). <u>http://journals.ametsoc.org/doi/abs/10.1175/BAMS-D-15-00304.1</u>

- Horton, R. M., D.A. Bader, C. Rosenzweig, A.T. DeGaetano, & W. Solecki (2014). Climate Change in New York State Updating the 2011 ClimAID Climate Risk Information Supplement to NYSERDA Report 11-18 (Responding to Climate Change in New York State). <u>http://www.nyserda.ny.gov/About/Publications/Research-and-Development-Technical-Reports/Environmental-Research-and-Development-Technical-Reports/Response-to-Climate-Change-in-New-York</u>
- Kendon, L., F. Carroll, A. Ciavarella, R. Dankers, P. Falloon, L. Gohar, C. Hewit, S. Ineson, J. Kennedy, J. Lowe, R. McCarthy, C. Morice, A. Scaife, D. Smith, P. Stott, J. Strachan, K. Willett. (2014). *Climate Risk: An update on the science*. United Kingdom: Met Office. <u>http://www.metoffice.gov.uk/media/pdf/o/p/Climate\_risk\_an\_update\_on\_the\_science.pdf</u>
- Markowitz, E. C. Hodge, G. Harp. (2014). *Connecting on Climate: A Guide to Effective Climate Change Communication*. New York and Washington, D.C.: Center for Research on Environmental Decisions and ecoAmerica. <u>http://ecoamerica.org/wp-content/uploads/2014/12/ecoAmerica-CRED-2014-Connecting-on-Climate.pdf</u>
- Minnesota Department of Health (2015). *Minnesota Climate and Health Profile Report*. St. Paul, MN. <u>http://www.health.state.mn.us/divs/climatechange/docs/mnprofile2015.pdf</u>
- Molina, M., J. McCarthy, D. Wall, R. Alley, K. Cobb, J. Cole, S. Das, N. Diffenbaugh, K. Emanuel, H. Frumkin, K. Hayhoe, C. Parmesan, and M. Shepard. 2014. What we know: The reality, risks, and response to climate change. American Association for the Advancement of Science, Washington, D.C. <u>http://whatweknow.aaas.org/wp-content/uploads/2014/03/AAAS-What-We-Know.pdf</u>
- Pachauri, R. K., M. R. Allen, V.R. Barros, J. Broome, W. Cramer, R. Christ, et al. (2014). Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. <u>http://epic.awi.de/37530/</u>
- Power, T.M., D. S. Power (2015). *The Impacts of Climate Change on Montana's Outdoor Economy*: Montana Wildlife Federation. <u>http://montanawildlife.org/wp-</u> <u>content/uploads/2015/12/Impact-of-Climate-Change-on-the-Montana-Outdoor-Economy-</u> <u>Dec-2015-Final-Report.pdf</u>
- Seneviratne, S. I., M.G. Donat, A.J. Pitman, R. Knutti, & R.L. Wilby. (2016). Allowable CO2 emissions based on regional and impact-related climate targets. *Nature*, 529 (7587), 477-483. <u>http://www.nature.com/nature/journal/v529/n7587/full/nature16542.html</u>
- Shepherd, W. (2015). Virginia's Clean Energy Future: Virginia. https://www.nrdc.org/sites/default/files/clean-power-plan-state-options-VA.pdf

- Solomon, S., D.S. Battisti, S.C. Doney, K. Hayhoe, I. Held, D.P. Lettenmaier, et al. (2011). Climate stabilization targets: emissions, concentrations, and impacts over decades to millennia. *Natl. Acad. Press, Washington, DC.* <u>http://www.nationalacademies.org/OCGA/Briefings/OCGA\_115732</u>
- Stewart, J. A., J.D. Perrine., L.B. Nichols, J.H. Thorne, C.I. Millar, K.E. Goehring, et al. (2015). Revisiting the past to foretell the future: summer temperature and habitat area predict pika extirpations in California. *Journal of Biogeography*, 42 (5), 880-890. http://onlinelibrary.wiley.com/doi/10.1111/jbi.12466/full
- Stocker, T. F. (2014). Climate change 2013: the physical science basis: Working Group I contribution to the Fifth assessment report of the Intergovernmental Panel on Climate Change: Cambridge University Press. <u>https://www.ipcc.ch/pdf/assessmentreport/ar5/wg1/WGIAR5\_SPM\_brochure\_en.pdf</u>
- US National Phenology Network. (2011) https://www.usanpn.org/
- White House. A Historic Commitment to Protecting the Environment and Reversing Climate Change. Washington, D.C., USA. <u>https://www.whitehouse.gov/the-record/climate</u>
- World Meteorological Organization (2013). *Reducing and Managing Risks of Disasters in a Changing Climate* <u>http://public.wmo.int/en/bulletin/reducing-and-managing-risks-disasters-changing-climate</u>

#### I. Acknowledgments

Thanks to the following speakers at the June 2014 and October 2015 Blackwater Falls Conferences:

Angela Anderson, Union of Concerned Scientists; Ted Armbrecht, business executive and conservation activist; Dave Bassage, Chief of Staff at Ace Adventure Resort; Charles Bayless, Esq., former utility executive and President of West Virginia University Institute of Technology; Brian Bellew, a 2015 graduate of West Virginia University with a B.S. in Geology; Ted Boettner, Director, WV Center on Budget and Policy; Patricia Butler, M.S., Forest Service Northern Institute of Applied Climate Science; Elizabeth Byers, M.S., West Virginia department of Natural Resources; Dr. Alton Byers, geographer with the West Virginia Mountain Institute; Dr. George Constantz, zoologist and author on Highlands ecology; Leighia Eggett, graduate student at West Virginia University; Sarah Forbes, scientist at the US Department of Energy, Clean Coal and Carbon Management; Brandi Gaertner, doctoral fellow at West Virginia University; Evan Hansen, M.S., President of the consultant group Downstream Strategies; Amy Hessl, geology and geography professor at West Virginia University; Dr. Than Hitt, fish biologist at the U.S. Geologic Survey in Kearneysville, West Virginia; Louis Iverson, landscape ecologist with the U.S.D.A. and Forest Service in Delaware, Ohio; Hari Jammulamdaka, graduate assistant at Industrial Assessment Center at West Virginia University; Scott Klopfer, M.S., Director of the Virginia Tech Conservation Management Institute; Dr. Kevin Law, climatologist and professor at Marshall University; Emily Linn, Environmental Protection Specialist at the U.S. Environmental Protection Agency; Herman Mays, assistant professor of genetics in the Department of Biology at Marshall University; Dr. Marc McDill, Professor of forest management at Penn State University; Patrick McGinley, Esq., Professor at the West Virginia University College of Law; Dr. Thomas Pauley, herpetologist and professor at Marshall University; Emmett Pepper, executive director of Energy Efficient West Virginia; Matthew Peters, M.S. U.S. Forest Service Climate Change Tree/ Bird Atlas project; Lori Petrauski, graduate student in Wildlife and Fisheries at West Virginia University; Sam Petsonk, Esq. attorney at Mountain State Justice; James Schaberl, Division Chief of Natural and Cultural Resources at the Shenandoah National Park; Mitzy Schaney, graduate student at West Virginia University; Dr. Winston Smith, wildlife conservation professional based at University of Alaska; Joe Trimboli, community planner with the U.S. Army Corp of Engineers based in Huntington, West Virginia; James Van Nostrand, professor at West Virginia University College of Law, and director for the Center of Energy and Sustainable Development; Dr. Nicolas Zegre, forest hydrologist and Professor at West Virginia University.

Thanks for support for Friends of Blackwater's climate change work from the New York Community Trust; the Appalachian Stewardship Foundation; the Calwell Law Practice; the Potomac Conservancy; the West Virginia University College of Law Center for Energy and Sustainability; Talking Across the Lines; Adeptword; Nathan Anderson; Ted & Calvert Armbrecht; Robert Bastress & Barbara Fleischauer; Bill & Mimi Byrne; David & Stephanie Callaghan; Robert Cohen & Kathy Abate; Charles diSalvo & Kathleen Kennedy; Richard Frum; Lewis Hyde & Patricia Vigderman; Marc Levine; Patrick McGinley & Suzanne Weise; David McMahon; Peter Miller; Michael Plante; Rafe & Lenore Pomerance; Tom & Judy Rodd in appreciation of Richard di Pretoro; Regan Quinn; Nicholas & Kathy Smart; Dave Warner; Gary Wigal; John Wiley; John Alexander Williams; and Carter Zerbe & Maureen Conley. "I have pictured the mountain flanks as a fortress and the spruce sentinels on the ramparts as they seem to be watchmen over their realm.... They seem to be calling me to come up higher, where the air is clear and cool, to climb from the valley and brush among their boughs where mountains rise to no greater heights."

– J. Lawrence Smith, The High Alleghenies, 1982

"To deny the mounting science of climate change is to stick our heads in the sand."

- Robert C. Byrd, former United States Senator (D-WV), 2011.

"To those who say climate risk is a far off problem, I can tell you that I have hunted the same woods my entire life and climate change is happening now – I see it in the summer droughts that kill the trees, the warm winter nights when flowers bloom in January, the snows that fall less frequently and melt more quickly."

– Richard Trumka, former President, United Mineworkers of America, current President, AFL-CIO, 2012.

"It's not just what the models are predicting for the future, but it's what we've actually seen, the trends that we've observed over the last 50 years — or longer than that, really. The rate of change is accelerating. For the younger people here, you're going to be around in 2050, and the changes by that time are going to be quite severe. It's a long-term problem, but we have to start changing today. We're creating those future problems through the actions that we're doing today."

*– Dr. Marc McDill, Associate Professor of Forest Resource Management, Penn State University, Blackwater Falls State Park, June 2014*